


BC AG, LLC
 4425 3rd Ave S
 Birmingham, AL 35222
 payne.baker@gmail.com
 205-835-4949

Sample: 08-07-2023-36718
 Sample Received: 08/07/2023;
 Report Created: 08/09/2023; Expires: 08/07/2024

Dirty 1
 Ingestible, Beverage



0.006%
 Total THC

0.006%
 Δ-9 THC

0.064 mg/mL
 Total Cannabinoids

ND mg/mL
 Total CBD

Cannabinoids with Density

Complete

(Testing Method: HPLC, CON-P-3000)
 Date Tested: 08/07/2023

Analyte	LOD	LOQ	Mass	Mass	Mass	
	mg/mL	mg/mL	mg/mL	mg/g	%	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.014	0.020	ND	ND	ND	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.014	0.020	0.064	0.063	0.006	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.014	0.020	ND	ND	ND	
Δ-9-Tetrahydrocannabinophorol (Δ-9-THCP)	0.014	0.020	ND	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.014	0.020	ND	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.014	0.020	ND	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.014	0.020	ND	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.014	0.020	ND	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.014	0.020	ND	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.014	0.020	ND	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.014	0.020	ND	ND	ND	
Cannabidivarin (CBDV)	0.014	0.020	ND	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.014	0.020	ND	ND	ND	
Cannabidiol (CBD)	0.014	0.020	ND	ND	ND	
Cannabidiolic Acid (CBDA)	0.014	0.020	ND	ND	ND	
Cannabigerol (CBG)	0.014	0.020	ND	ND	ND	
Cannabigerolic Acid (CBGA)	0.014	0.020	ND	ND	ND	
Cannabinol (CBN)	0.014	0.020	ND	ND	ND	
Cannabinolic Acid (CBNA)	0.014	0.020	ND	ND	ND	
Cannabichromene (CBC)	0.014	0.020	ND	ND	ND	
Cannabichromenic Acid (CBCA)	0.014	0.020	ND	ND	ND	
Total			0.064	0.063	0.006	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
 Total CBD Measurement of Uncertainty: ± 2.000%
 THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers

Sample Density: 1.012 g;



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com