

Grape Lemonade 50mg - M

Sample ID: 2601NBL0084.0273
Matrix: Ingestible
Type: Beverage
Sample Size:
Received: 01/16/2026
Completed: 01/28/2026
Expires: 01/28/2027
External Lot ID:
Batch#: GRLM_1006

Client
Crescent Distributions



Summary

Test	Date Tested	Result
Cannabinoids	01/16/2026	Pass
Residual Solvents	01/22/2026	Pass
Microbials	01/22/2026	Pass
Mycotoxins	01/23/2026	Pass
Pesticides	01/23/2026	Pass
Heavy Metals	01/28/2026	Pass

Cannabinoids

Pass

46.926 mg/unit Total THC	0.011% Compliance Result	ND Total CBD	50.102 mg/unit Total Cannabinoids
------------------------------------	------------------------------------	------------------------	---

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/unit	mg/unit	mg/unit	mg/mL	%	mg/mL
(6aR,9R)-d10-THC	0.9248	1.387	ND	ND	ND	±0
9R-HHC	0.9248	1.387	ND	ND	ND	±0
(6aR,9S)-d10-THC	0.9248	1.387	ND	ND	ND	±0
9S-HHC	0.9248	1.387	ND	ND	ND	±0
CBC	0.9248	1.387	ND	ND	ND	±0
CBCa	0.9248	1.387	ND	ND	ND	±0
CBD	0.9248	1.387	ND	ND	ND	±0
CBDa	0.9248	1.387	ND	ND	ND	±0
CBDV	0.9248	1.387	ND	ND	ND	±0
CBDVa	0.9248	1.387	ND	ND	ND	±0
CBG	0.9248	1.387	ND	ND	ND	±0
CBGa	0.9248	1.387	ND	ND	ND	±0
CBN	0.9248	1.387	3.176	0.00897	0.001	±0
CBNa	0.9248	1.387	ND	ND	ND	±0
Δ8-THC	0.9248	1.387	ND	ND	ND	±0
Δ9-THC	0.9248	1.387	46.926	0.13256	0.013	±0.013
THCa	0.9248	1.387	ND	ND	ND	±0
THCp	0.9248	1.387	ND	ND	ND	±0
THCV	0.9248	1.387	ND	ND	ND	±0
THCVa	0.9248	1.387	ND	ND	ND	±0
Total THC			46.926	0.13256	0.013	
Total CBD			ND	ND	ND	
Total			50.102	0.14153	0.014	

Date Tested: 01/16/2026
Density: 1 mL = 1.045 g, Unit Mass: 369.930 g, 1 Unit = 12 fl oz
Testing Method: HPLC, CON-P-3000
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection, ND = Not Detected



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Grape Lemonade 50mg - M

Sample ID: 2601NBL0084.0273

Received: 01/16/2026

Client

Matrix: Ingestible

Completed: 01/28/2026

Crescent Distributions

Type: Beverage

Expires: 01/28/2027

Sample Size:

External Lot ID:

Batch#: GRLM_1006

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status	Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	PPM	
Abamectin	0.099	0.028	0.500	ND	±0	Pass	Hexythiazox	0.095	0.028	1.000	ND	±0	Pass
Acephate	0.095	0.028	0.400	ND	±0	Pass	Imazalil	0.095	0.028	0.200	ND	±0	Pass
Acequinocyl	0.095	0.028	2.000	ND	±0	Pass	Imidacloprid	0.095	0.028	0.400	ND	±0	Pass
Acetamiprid	0.095	0.028	0.200	ND	±0	Pass	Kresoxim	0.095	0.028	0.400	ND	±0	Pass
Aldicarb	0.095	0.028	0.400	ND	±0	Pass	Methyl						
Azoxystrobin	0.095	0.028	0.200	ND	±0	Pass	Malathion	0.095	0.028	0.200	ND	±0	Pass
Bifenazate	0.095	0.028	0.200	ND	±0	Pass	Metalaxyl	0.095	0.028	0.200	ND	±0	Pass
Bifenthrin	0.095	0.028	0.200	ND	±0	Pass	Methiocarb	0.095	0.028	0.200	ND	±0	Pass
Boscalid	0.095	0.028	0.400	ND	±0	Pass	Methomyl	0.095	0.028	0.400	ND	±0	Pass
Carbaryl	0.095	0.028	0.200	ND	±0	Pass	Myclobutanil	0.095	0.028	0.200	ND	±0	Pass
Carbofuran	0.095	0.028	0.200	ND	±0	Pass	Naled	0.237	0.072	0.500	ND	±0	Pass
Chlorantraniliprole	0.095	0.028	0.200	ND	±0	Pass	Oxamyl	0.095	0.028	1.000	ND	±0	Pass
Chlorfenapyr	0.076	0.028	1.000	ND	±0	Pass	Pacllobutrazol	0.095	0.028	0.400	ND	±0	Pass
Chlormequat	0.095	0.028	0.200	ND	±0	Pass	Methyl						
Chlorpyrifos	0.095	0.028	0.200	ND	±0	Pass	Parathion	0.076	0.028	0.200	ND	±0	Pass
Clofentezine	0.095	0.028	0.200	ND	±0	Pass	Permethrins	0.095	0.028	0.200	ND	±0	Pass
Cyfluthrin	0.474	0.142	1.000	ND	±0	Pass	Phosmet	0.095	0.028	0.200	ND	±0	Pass
Cypermethrin	0.474	0.142	1.000	ND	±0	Pass	Piperonyl						
Daminozide	0.949	0.285	1.000	ND	±0	Pass	Butoxide	0.095	0.028	2.000	ND	±0	Pass
Diazinon	0.095	0.028	0.200	ND	±0	Pass	Prallethrin	0.095	0.028	0.200	ND	±0	Pass
Dichlorvos	0.047	0.015	0.100	ND	±0	Pass	Propiconazole	0.095	0.028	0.400	ND	±0	Pass
Dimethoate	0.095	0.028	0.200	ND	±0	Pass	Propoxur	0.095	0.028	0.200	ND	±0	Pass
Ethoprophos	0.095	0.028	0.200	ND	±0	Pass	Pyrethrins	0.474	0.142	1.000	ND	±0	Pass
Etofenprox	0.095	0.028	0.400	ND	±0	Pass	Pyridaben	0.095	0.028	0.200	ND	±0	Pass
Etoxazole	0.095	0.028	0.200	ND	±0	Pass	Spinosad	0.097	0.028	0.200	ND	±0	Pass
Fenoxycarb	0.095	0.028	0.200	ND	±0	Pass	Spiromesifen	0.095	0.028	0.200	ND	±0	Pass
Fenpyroximate	0.095	0.028	0.400	ND	±0	Pass	Spirotetramat	0.095	0.028	0.200	ND	±0	Pass
Fipronil	0.095	0.028	0.400	ND	±0	Pass	Spiroxamine	0.095	0.028	0.400	ND	±0	Pass
Flonicamid	0.095	0.028	1.000	ND	±0	Pass	Tebuconazole	0.095	0.028	0.400	ND	±0	Pass
Fludioxonil	0.095	0.028	0.400	ND	±0	Pass	Thiacloprid	0.095	0.028	0.200	ND	±0	Pass
							Thiamethoxam	0.095	0.028	0.200	ND	±0	Pass
							Trifloxystrobin	0.095	0.028	0.200	ND	±0	Pass

Date Tested: 01/23/2026

Testing Method: LC/MS/MS CON-P-5000; GC/MS/MS CON-P-12000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Grape Lemonade 50mg - M

Sample ID: 2601NBL0084.0273

Received: 01/16/2026

Client

Matrix: Ingestible

Completed: 01/28/2026

Crescent Distributions

Type: Beverage

Expires: 01/28/2027

Sample Size:

External Lot ID:

Batch#: GRLM_1006

Microbials

Pass

Analyte	LOD	Result	Status
	Cq	Cq	
Shiga Toxin-producing E. Coli	40.000	ND	Pass
Salmonella	40.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	40.000	ND	Pass

Method of Analysis: qPCR, CON-P-6000

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	9	ND	Pass
Yeast & Mold	9	ND	Pass

Method of Analysis: Petrifilm, CON-P-9000

Date Tested: 01/22/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPM	
B1	2	5		ND	±0	Tested
B2	2	5		ND	±0	Tested
G1	2	5		ND	±0	Tested
G2	2	5		ND	±0	Tested
Total Aflatoxins	2	5	20	ND	±0	Pass
Ochratoxin A	6	19	20	ND	±0	Pass

Date Tested: 01/23/2026

Testing Method: LC/MS/MS, CON-P-5000

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.093	0.200	ND	±0	Pass
Cadmium	0.047	0.093	0.200	ND	±0	Pass
Lead	0.047	0.093	0.500	ND	±0	Pass
Mercury	0.047	0.093	1.000	ND	±0	Pass

Date Tested: 01/28/2026

Testing Method: ICP/MS, CON-P-7000



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Grape Lemonade 50mg - M

Sample ID: 2601NBL0084.0273

Received: 01/16/2026

Client

Matrix: Ingestible

Completed: 01/28/2026

Crescent Distributions

Type: Beverage

Expires: 01/28/2027

Sample Size:

External Lot ID:

Batch#: GRLM_1006

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Acetone	85.227	284.091	1000.000	ND	±0	Pass
Benzene	0.341	1.136	2.000	ND	±0	Pass
n-Butane	78.409	261.364		ND	±0	Tested
Isobutane	78.409	261.364		ND	±0	Tested
Butanes			1000.000	ND	±0	Pass
Ethanol	85.227	284.091	5000.000	<LOQ	±0	Pass
Ethyl Acetate	85.227	284.091	1000.000	ND	±0	Pass
Heptane	85.227	284.091	1000.000	ND	±0	Pass
n-Hexane	1.705	5.682		ND	±0	Tested
2,2-Dimethylbutane	1.705	5.682		ND	±0	Tested
3-Methylpentane	1.705	5.682		ND	±0	Tested
2-Methylpentane/2,3-Dimethylbutane	3.409	11.364		ND	±0	Tested
Hexanes			60.000	ND	±0	Pass
Methanol	34.091	113.636	600.000	ND	±0	Pass
Isopentane	78.409	261.364		ND	±0	Tested
n-Pentane	34.091	113.636		ND	±0	Tested
Neopentane	78.409	261.364		ND	±0	Tested
Pentanes			1000.000	ND	±0	Pass
2-Propanol	85.227	284.091	1000.000	ND	±0	Pass
Propane	340.909	1136.364	1000.000	ND	±0	Pass
Toluene	0.170	0.568	180.000	ND	±0	Pass
Ethylbenzene	0.170	0.568		ND	±0	Tested
m/p-Xylene	0.170	0.568		ND	±0	Tested
o-Xylene	0.170	0.568		ND	±0	Tested
Xylenes			430.000	ND	±0	Pass

Date Tested: 01/22/2026

Testing Method: HS-GC/MS, CON-P-8000, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measures as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene)



Ashley N Phillips

Ashley Phillips
Laboratory Director
01/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

